

# 安裝teedy文管軟體

這是一款很棒的軟體，以文件為本，文件具有唯一性，但又能同時出現在不同目錄結構(使用Tag)；此舉可避免傳統檔案總管，相同文件在不同目錄出現，若遇到改版，會造成版本維護困難的情形。

- 推坑
- docker安裝
  - (1)官方安裝範本
  - (2)本站建議的安裝
  - (3) Teedy預設檔案加密，本站修改可選擇是否加密，方便掛載修改


# 推坑

此系統強調以**文件為本**，文件可包含很多檔案，且具**唯一性**，能綁定多個標籤。

開發團隊很奇才**利用標籤**，就能**模擬出不同目錄結構**，因此一個**唯一性**的文件，能出現在不同的目錄，本體只有一個，我們只要維護一次文件即可。

此舉可避免傳統檔案總管，相同文件若需要在不同目錄出現，就必須複製多份，一旦文件改版更新了，會造成檔案更新困難。

## ✓ 標籤 V.S 檔案總管



另外**teedy**系統，也有送審功能，讓其他使用者提交文件，給文件管理員審查、上架

# docker安裝

# (1)官方安裝範本

 根據官網建議，使用docker容器安裝最適合

以下是docker-compose.yml

```
version: '3'
services:
  # Teedy Application
  teedy-server:
    image: sismics/docs:latest
    restart: unless-stopped
    ports:
      # Map internal port to host
      - 8080:8080
    environment:
      # Base url to be used
      DOCS_BASE_URL: "https://docs.example.com"
      # Set the admin email
      DOCS_ADMIN_EMAIL_INIT: "admin@example.com"
      # Set the admin password (in this example: "superSecure")
      DOCS_ADMIN_PASSWORD_INIT: "$$2a$$05$$PcMNUbjvsk7QHfSfEIdaIOjk1VI9/E7IPjTKx.jkjPxkx2EOKSoPS"
      # Setup the database connection. "teedy-db" is the hostname
      # and "teedy" is the name of the database the application
      # will connect to.
      DATABASE_URL: "jdbc:postgresql://teedy-db:5432/teedy"
      DATABASE_USER: "teedy_db_user"
      DATABASE_PASSWORD: "teedy_db_password"
      DATABASE_POOL_SIZE: "10"
    volumes:
      - ./docs/data:/data
    networks:
      - docker-internal
      - internet
    depends_on:
      - teedy-db

  # DB for Teedy
  teedy-db:
    image: postgres:13.1-alpine
    restart: unless-stopped
    expose:
      - 5432
    environment:
      POSTGRES_USER: "teedy_db_user"
      POSTGRES_PASSWORD: "teedy_db_password"
      POSTGRES_DB: "teedy"
    volumes:
      - ./docs/db:/var/lib/postgresql/data
    networks:
      - docker-internal

networks:
  # Network without internet access. The db does not need
  # access to the host network.
  docker-internal:
    driver: bridge
    internal: true
  internet:
    driver: bridge
```

## (2)本站建議的安裝

 建議與OpenProject專案管理系統共用一個資料庫，拙認為OpenProject(追蹤進度)+teedy(文件管理) 可以解決公司很多內部文件管控問題

以下範本，請注意**ports**、**DOCS\_BASE\_URL**、**DOCS\_ADMIN\_EMAIL\_INIT**、**DATABASE\_URL**、**DATABASE\_USER**、**DATABASE\_PASSWORD**

```
version: '3'
services:
  teedy-server:
    image: sismics/docs:latest
    restart: unless-stopped
    ports:
      - 8080:8080
    environment:
      # DOCS_BCRYPT_WORK: 5
      # Base url to be used
      DOCS_BASE_URL: "https://網站名稱"
      # Set the admin email
      DOCS_ADMIN_EMAIL_INIT: "電子郵件@xxx.xxx"
      # Set the admin password (in this example: "superSecure")
      DOCS_ADMIN_PASSWORD_INIT: "$$2a$05$PcMNUbjvsk7QHfSfEIdaIOjk1VI9/E7IPjTKx.jkJPxkx2EOKSoPS"
      # Setup the database connection. "teedy-db" is the hostname
      # and "teedy" is the name of the database the application
      # will connect to.
      DATABASE_URL: "jdbc:postgresql://資料庫IP:5432/teedy"
      DATABASE_USER: "資料庫帳號"
      DATABASE_PASSWORD: "資料庫密碼"
      DATABASE_POOL_SIZE: "10"
    volumes:
      - ./docs/data:/data
      #- ./webapps:/opt/jetty/webapps
    networks:
      - docker-internal
      - internet

networks:
  # Network without internet access. The db does not need
  # access to the host network.
  docker-internal:
    driver: bridge
    internal: true
  internet:
    driver: bridge
```

## (3) Teedy預設檔案加密，本站修改可選擇是否加密，方便掛載修改

Teedy預設檔案加密，這樣很安全，但這樣反而不方便直接修改檔案；**有些文管人員，只知道檔案總管，因此有必要掛載讓文員直接修改**，所以我改程式，讓系統可以不加密，直接掛載修改。

#一旦選擇加密或是不加密，就不可再改設定，請謹慎

<https://github.com/WilliamFromTW/teedydocs/tree/EncryptFileOptional>

# 本站編譯好的docker版本

<https://hub.docker.com/r/inmethod/teedy/tags>